

PLUSERIES Composite Prepolymer

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 4/13/2017

Revision date: 4/13/2017

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixtures
Product name : PLUSERIES Composite Prepolymer

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use
Use of the substance/mixture : Adhesive.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Fabtech Systems LLC
PO Box 2248
98213 Everett, WA - USA
T 1-800-322-8324
staff@fabtechsystems.com

Distributor

Orthopartners B.V
Jan van derHeijdenstraat 18-20
2665 JA Bleiswijk, N.L

1.4. Emergency telephone number

Emergency number : CHEMTREC 24hr 800-424-9300
International 1-703-527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

| | |
|-------------------------------------|------|
| Acute Tox. 4 (Inhalation:dust,mist) | H332 |
| Skin Irrit. 2 | H315 |
| Eye Irrit. 2 | H319 |
| Resp. Sens. 1 | H334 |
| Skin Sens. 1 | H317 |
| Carc. 2 | H351 |
| STOT SE 3 | H335 |
| STOT RE 2 | H373 |

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

GHS08

Signal word (CLP) : Danger
Hazardous ingredients : 4,4'-Methylenediphenyl diisocyanate; Benzene, 1,1'-methylenebis[4-isocyanato-, homopolymer
Hazard statements (CLP) : H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H332 - Harmful if inhaled
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335 - May cause respiratory irritation
H351 - Suspected of causing cancer
H373 - May cause damage to organs through prolonged or repeated exposure
Precautionary statements (CLP) : P201 - Obtain special instructions before use
P260 - Do not breathe dust/fume/gas/mist/vapours/spray
P280 - Wear protective gloves/protective clothing/eye protection/face protection

PLUSERIES Composite Prepolymer

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|--|---|
| | P285 - Wear respiratory protection P304+P341+P342+P311 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician P308+P313 - IF exposed or concerned: Get medical advice/attention |
| Unknown acute toxicity (CLP) - SDS | : 50.22% of the mixture consists of ingredient(s) of unknown acute oral toxicity 85.73% of the mixture consists of ingredient(s) of unknown acute dermal toxicity 51.71% of the mixture consists of ingredient(s) of unknown acute inhalation (dust/mist) toxicity |
| Unknown hazards to the aquatic environment (CLP) | : Contains 75.51 % of components with unknown hazards to the aquatic environment |

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|---------|---|
| 4,4'-Methylenediphenyl diisocyanate (Note C)(Note 2) | (CAS-No.) 101-68-8 (EC-No.) 202-966-0 (EC Index-No.) 615-005-00-9 | 35.51 | Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 3, H335 STOT RE 2, H373 |
| Benzene, 1,1'-methylenebis[4-isocyanato-, homopolymer | (CAS-No.) 25686-28-6 (EC-No.) 500-040-3 | 10 - 15 | Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 3, H335 STOT RE 2, H373 |
| Propylene carbonate | (CAS-No.) 108-32-7 (EC-No.) 203-572-1 (EC Index-No.) 607-194-00-1 | 1.49 | Eye Irrit. 2, H319 |

Specific concentration limits:

| Name | Product identifier | Specific concentration limits |
|-------------------------------------|---|---|
| 4,4'-Methylenediphenyl diisocyanate | (CAS-No.) 101-68-8 (EC-No.) 202-966-0 (EC Index-No.) 615-005-00-9 | (C >= 0.1) Resp. Sens. 1, H334 (C >= 5) STOT SE 3, H335 (C >= 5) Skin Irrit. 2, H315 (C >= 5) Eye Irrit. 2, H319 |

Note 2 : The concentration of isocyanate stated is the percentage by weight of the free monomer calculated with reference to the total weight of the mixture.

Note C : Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures after inhalation | : If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a POISON CENTER or doctor/physician if you feel unwell. |
| First-aid measures after skin contact | : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists. |
| First-aid measures after eye contact | : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. If irritation persists, get medical attention. |
| First-aid measures after ingestion | : Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|---|
| Symptoms/effects after inhalation | : Harmful if inhaled. May cause irritation to the respiratory tract. May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| Symptoms/effects after skin contact | : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause sensitization by skin contact. |

PLUSERIES Composite Prepolymer

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|------------------------------------|---|
| Symptoms/effects after eye contact | : Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. |
| Symptoms/effects after ingestion | : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Fire fighting measures

5.1. Extinguishing media

| | |
|--------------------------------|--|
| Suitable extinguishing media | : Water spray, dry chemical, foam, carbon dioxide. |
| Unsuitable extinguishing media | : Do not use water jet. |

5.2. Special hazards arising from the substance or mixture

| | |
|-------------|--|
| Fire hazard | : Products of combustion may include, and are not limited to: oxides of carbon. Hydrogen cyanide. Isocyanates. Nitrogen oxides. Toxic fumes. Aldehydes. Ketones. Halogenated compounds. Bromine. Hydrocarbons. |
|-------------|--|

5.3. Advice for firefighters

| | |
|--------------------------------|--|
| Protection during firefighting | : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). |
|--------------------------------|--|

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|------------------|--|
| General measures | : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. |
|------------------|--|

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|---|
| For containment | : Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment. |
| Methods for cleaning up | : Sweep or shovel spills into appropriate container for disposal. Provide ventilation. |

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|-------------------------------|--|
| Precautions for safe handling | : Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. |
| Hygiene measures | : Contaminated work clothing should not be allowed out of the workplace. Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking. |

7.2. Conditions for safe storage, including any incompatibilities

| | |
|--------------------|--|
| Storage conditions | : Keep out of the reach of children. Store in a well-ventilated place. Keep container tightly closed. Store locked up. |
|--------------------|--|

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Wear chemically resistant protective gloves.

PLUSERIES Composite Prepolymer

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Eye protection:

Wear eye/face protection

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle in accordance with good industrial hygiene and safety procedures.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|-------------------------------------|
| Physical state | : Liquid |
| Appearance | : Viscous |
| Colour | : Beige |
| Odour | : No data available |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : < 1 |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : > 392 °F |
| Flash point | : > 212 °F |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Not flammable |
| Vapour pressure | : < 0.01333 hPa 77 F |
| Relative vapour density at 20 °C | : > 1 (air=1) |
| Relative density | : No data available |
| Density | : 1.288 g/cm ³ 68 F |
| Solubility | : Practically insoluble. |
| Partition coefficient n-octanol/water | : No data available |
| Viscosity, kinematic | : 15527.95031056 mm ² /s |
| Viscosity, dynamic | : 20000 mPa.s |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Freezing. Moisture. Heat. Incompatible materials.

PLUSERIES Composite Prepolymer

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.5. Incompatible materials

Acids. Alcohols. Aluminum. Amines. Ammonia. Bases. Copper and its alloys. Fluorine. Iron. Isocyanates. Oxidizers. Phosphorus. Strong alkalis. Strong reducing agents. Water. zinc. humid air.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon. Hydrocarbons. Hydrogen cyanide. Isocyanates. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Inhalation:dust,mist: Harmful if inhaled.

| | |
|---------------------|---------------|
| ATE CLP (dust,mist) | 1.720 mg/l/4h |
|---------------------|---------------|

4,4'-Methylenediphenyl diisocyanate (101-68-8)

| | |
|---------------------|--|
| LD50 oral rat | 31600 mg/kg |
| LC50 inhalation rat | 369 mg/m ³ (Exposure time: 4 h) |

Propylene carbonate (108-32-7)

| | |
|--------------------|--------------|
| LD50 oral rat | 29000 mg/kg |
| LD50 dermal rabbit | > 3000 mg/kg |

Unknown acute toxicity (CLP) - SDS : 50.22% of the mixture consists of ingredient(s) of unknown acute oral toxicity
85.73% of the mixture consists of ingredient(s) of unknown acute dermal toxicity
51.71% of the mixture consists of ingredient(s) of unknown acute inhalation (dust/mist) toxicity

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes serious eye irritation.
Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
Germ cell mutagenicity : Not classified.
Carcinogenicity : Suspected of causing cancer.
Reproductive toxicity : Not classified.
STOT-single exposure : May cause respiratory irritation.
STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard : Not classified.

| | |
|---------------------------------------|-----------------------------------|
| PLUSERIES Composite Prepolymer | |
| Viscosity, kinematic | 15527.95031056 mm ² /s |

Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

Propylene carbonate (108-32-7)

| | |
|--------------------|--|
| LC50 fish 1 | > 1000 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static]) |
| EC50 Daphnia 1 | > 500 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| EC50 72h algae (1) | > 500 mg/l (Species: Desmodesmus subspicatus) |

Unknown hazards to the aquatic environment (CLP) : Contains 75.51 % of components with unknown hazards to the aquatic environment

12.2. Persistence and degradability

| | |
|---------------------------------------|------------------|
| PLUSERIES Composite Prepolymer | |
| Persistence and degradability | Not established. |

12.3. Bioaccumulative potential

| | |
|---------------------------------------|------------------|
| PLUSERIES Composite Prepolymer | |
| Bioaccumulative potential | Not established. |

Propylene carbonate (108-32-7)

| | |
|---------------------------------------|-----------------|
| Partition coefficient n-octanol/water | 0.48 (at 25 °C) |
|---------------------------------------|-----------------|

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

PLUSERIES Composite Prepolymer

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.6. Other adverse effects

Additional information : No other effects known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

SECTION 14: Transport information

In accordance with ADR

14.1. UN number

UN-No. (ADR) : Not regulated

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not regulated

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not regulated

14.4. Packing group

Packing group (ADR) : Not regulated

14.5. Environmental hazards

Dangerous for the environment : No

Other information : No supplementary information available.

14.6. Special precautions for user

Special transport precautions : Do not handle until all safety precautions have been read and understood.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no REACH candidate substance.

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Indication of changes:

None.

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Prepared by : Nexreg Compliance Inc.

www.Nexreg.com



Full text of H- and EUH-statements:

| | |
|-------------------------------------|--|
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 |
| Acute Tox. 4 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 4 |
| Carc. 2 | Carcinogenicity, Category 2 |

PLUSERIES Composite Prepolymer

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|---------------|--|
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Resp. Sens. 1 | Respiratory sensitisation, Category 1 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| STOT RE 2 | Specific target organ toxicity — Repeated exposure, Category 2 |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H332 | Harmful if inhaled |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled |
| H335 | May cause respiratory irritation |
| H351 | Suspected of causing cancer |
| H373 | May cause damage to organs through prolonged or repeated exposure |

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

| | | |
|-------------------------------------|------|--------------------|
| Acute Tox. 4 (Inhalation:dust,mist) | H332 | Calculation method |
| Skin Irrit. 2 | H315 | Calculation method |
| Eye Irrit. 2 | H319 | Calculation method |
| Resp. Sens. 1 | H334 | Calculation method |
| Skin Sens. 1 | H317 | Calculation method |
| Carc. 2 | H351 | Calculation method |
| STOT SE 3 | H335 | Calculation method |
| STOT RE 2 | H373 | Calculation method |

SDS EU (REACH Annex II)_NEXREG_NEW

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.