

## Safety Data Sheet

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Trade name: CLEANI STUMP SERVETTER Version: 1.0 / EN

Print date: 3/26/14

Specification No: 1.0

Page 1 of 20

Revision date: March/03/2014

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier:

##### 1.1.2 Trade name / designations

CLEANI STUMP SERVETTER

##### 1.1.3 Other means of identification:

-

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1 Relevant identified uses

Sanitizer for Health Care

##### 1.2.2. Uses advised against:

Use only as directed in the original product packaging.

See chapter 16 for a general overview

#### 1.3 Details of the supplier of the safety data sheet:

##### Supplier (manufacturer/importer/only representative/downstream user/distributor):

Fillauer Europe AB  
Kung Hans Väg 2  
192 68 Sollentuna  
SWEDEN

[www.fillauer.eu](http://www.fillauer.eu)

##### E-Mail (competent person):

[fillauer@fillauer.se](mailto:fillauer@fillauer.se)

##### Information contact:

Telephone +46 (0)8 50533200  
Fax +46 (0)8 50533205

##### National contact:

Fillauer Europe AB  
Kung Hans Väg 2  
192 68 Sollentuna  
SWEDEN

#### 1.4 EMERGENCY TELEPHONE NUMBER:

**SWEDEN:** Giftinformationscentralen / Poison Information Centre

Telephone 112 Poison Information (24 h)  
Telephone 08 331231 Other questions concerning acute poisonings (9am–5pm, monday–friday)

**FINLAND:** Myrkytystietokeskus / Giftinformationscentralen / Poison Information Centre

Telephone 09 471 977 Poison information (24 h)

# Safety Data Sheet

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Trade name: CLEANI STUMP SERVETTER Version: 1.0 / EN

Print date: 3/26/14

Specification No: 1.0

Page 2 of 20

Revision date: March/03/2014

## 2. HAZARD CLASSIFICATION

### 2.1. Classification of the substance or mixture:

Self classification

#### 2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard Classes and Hazard Categories	Hazard Statements	Classification Procedure
Flam. Liq. 2	H225	Calculation method
Eye Irrit. 2	H319	Calculation method
STOT SE 3	H336	Calculation method

#### 2.1.2 Classification according to 67/548/EEC or 1999/45/EC

F: R10, Xi: R36, R67

#### 2.1.3 Additional information:

Full text of R-, H- and EUH-phrases: see section 16.

## 2.2. Label elements

### 2.2.1 Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]

#### Hazard components for labeling:

Isopropanol

Authorisation No n/a

#### Hazard pictograms



GHS02



GHS07

#### Signal word:

Danger

#### Hazard statements:

H225 Highly flammable liquid and vapour

H319 Causes serious eye irritation

H336 May cause drowsiness or dizziness

#### Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

P337 + P313 If eye irritation persists get medical advice/attention.

#### Supplemental Hazard information (EU):

Not applicable

# Safety Data Sheet

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Trade name: CLEANI STUMP SERVETTER Version: 1.0 / EN

Print date: 3/26/14

Specification No: 1.0

Page 3 of 20

Revision date: March/03/2014

## Special rules for supplemental label elements for certain mixtures:

Not applicable

### 2.3 Other hazards

Adverse physicochemical effects: Flammable

Adverse human health effects and symptoms: Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness. May cause respiratory irritation. May cause serious eye irritation.

Adverse environmental effects: None indicated

Other adverse hazards: None indicated

# Safety Data Sheet

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Trade name: CLEANI STUMP SERVETTER Version: 1.0 / EN

Print date: 3/26/14

Specification No: 1.0

Page 4 of 20

Revision date: March/03/2014

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

#### 3.2.1 Description of the mixture

Hydroalcoholic mixture with Isopropyl Alcohol and Cetylpyridinium Chloride.

#### 3.2.2 Hazardous Ingredients

This product contains the substances listed below, which are defined as dangerous substances or hazardous chemicals as defined in Regulation (EC) No 1272/2008 and present at concentration over the generic cut-off values.

CAS No.	EC No.	Index No	REACH No.	%	Name	Classification according to 67/548/EEC
67-63-0	200-661-7	603-117-00-0	01-2119457558-25	70 - 80	Isopropyl Alcohol	F; R11 Xi; R36 R67
102-71-6	203-049-8	n/a	01-2119486482-31	1 - 5	Triethanolamine	Xi; R36
123-03-5	204-593-9	n/a	Exempted (annual volume)	< 0.1	Cetylpyridinium chloride	T+; R26 T; R25 Xi; R36/37/38 N; R50/52
50-21-5	200-018-0	n/a	01-2119548400-48	< 1.0	Lactic acid	Xi; R37/38 R41

CAS No.	EC No.	Index No	REACH No.	%	Name	Classification according to Regulation (EC) No 1272/2008
67-63-0	200-661-7	603-117-00-0	01-2119457558-25	70 - 80	Isopropyl Alcohol	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3
102-71-6	203-049-8	n/a	01-2119486482-31	1 - 5	Triethanolamine	Eye Irrit. 2
123-03-5	204-593-9	n/a	Exempted (annual volume)	< 0.1	Cetylpyridinium chloride	Acute Tox. 3; H301 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410
50-21-5	200-018-0	n/a	01-2119548400-48	< 1.0	Lactic acid	Eye Irrit. 2: 1% ≤ C < 3% Skin Irrit. 2: C ≥ 10% Eye Dam. 1: C ≥ 3%

Note: Classification refers to classifications of raw substances at 100 % and are used as basis for classifying the mixture.

### 3.3 Additional Information

Full text of R-, H- and EUH-phrases: see section 16.

# Safety Data Sheet

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Trade name: CLEANI STUMP SERVETTER Version: 1.0 / EN

Print date: 3/26/14

Specification No: 1.0

Page 5 of 20

Revision date: March/03/2014

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

#### 4.1.1 General informations:

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### 4.1.1 Following inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### 4.1.4 Following skin contact:

Not relevant under normal and reasonably foreseeable use. In case of large exposure, flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

#### 4.1.2 Following eye contact:

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

#### 4.1.5 Following ingestion:

Ingestion is unlikely exposure route unless product is intentionally abused. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.1.6 Self-protection of the first aider:

No action shall be taken involving any personal risk

#### 4.1.7 Notes for the doctor:

Isopropyl alcohol (Isopropanol) is the major component of the mixture (~ 75 % w/w)

## 4.2 Most important symptoms and effects, both acute and delayed

Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness. May cause respiratory irritation. May cause serious eye irritation.

## 4.3 Indication of any immediate medical attention and special treatment needed

Not available.

# Safety Data Sheet

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Trade name: CLEANI STUMP SERVETTER Version: 1.0 / EN

Print date: 3/26/14

Specification No: 1.0

Page 6 of 20

Revision date: March/03/2014

## 5. FIRE-FIGHTING MEASURES

### 5.1 Extinguishing media:

**Suitable extinguishing media:**

Use dry chemical, CO<sub>2</sub>, water spray (fog) or foam.

**Unsuitable extinguishing media:**

Do not use a direct water jet on the burning product.

### 5.2 Special hazards arising from the substance or mixture

**Hazardous combustion products:**

Flammable liquid and vapour. As a result of combustion or thermal decomposition reactive subproducts are created (CO<sub>2</sub>, CO, NO<sub>x</sub>,...) that can become highly toxic and, consequently, can present a serious health risk. Hazards from the highly flammable liquid and vapour. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. The substance or mixture vapour/gas is heavier than air and will spread along the ground. Vapours may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. Runoff to sewer may create fire or explosion hazard.

### 5.3 Advice for fire-fighters

Wear self-contained breathing apparatus with full-face mask and full protective clothing.

### 5.4 Additional information:

Be aware of possibility of re-ignition. This product gives off flammable vapours which may form explosive mixtures with air. Vapours with a source of ignition can create a flash fire, not a UVCE (Unconfined Vapour Cloud Explosion). Run off to sewer may cause fire or explosion hazard. Containers may explode in heat of fire. Use water to cool fire-exposed containers and to disperse vapour.

# Safety Data Sheet

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Trade name: CLEANI STUMP SERVETTER Version: 1.0 / EN

Print date: 3/26/14

Specification No: 1.0

Page 7 of 20

Revision date: March/03/2014

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

Do not smoke. Do not expose to flame or any potential source of ignition (eg electrical equipment). Avoid contact with skin and inhalation of vapors. Ensure adequate ventilation of the workplace.

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

#### 6.1.2 For emergency responders

##### Personal protective equipment:

Wear self contained breathing apparatus if necessary. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

### 6.2 Environmental precautions:

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and material for containment and cleaning up

#### 6.3.1 For containment:

Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.

#### 6.3.2 For cleaning up:

Small spills: Allow to evaporate if it is safe to do so or contain and absorb using earth, sand or other inert material then transfer into suitable containers for recovery or disposal. Ventilate contaminated area thoroughly. Large spills: Dike or dam to contain for later disposal. Contact emergency authorities.

#### 6.3.3 Other information:

None

### 6.4 Reference to other sections

For exposure control and personal protection measures, see section 8. For considerations of waste disposal, see section 13.

### 6.5 Additional information:

None

# Safety Data Sheet

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Trade name: CLEANI STUMP SERVETTER Version: 1.0 / EN

Print date: 3/26/14

Specification No: 1.0

Page 8 of 20

Revision date: March/03/2014

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

#### 7.1.1 Protective measures:

Put on appropriate personal protective equipment. Do not ingest. Avoid contact with eyes, skin and clothing. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

#### Fire preventions:

Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges.

#### Aerosol and dust generation preventions:

Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.

#### Environmental precautions:

Avoid direct discharge to sewer, surface water and groundwater, not make to penetrate into the soil.

#### 7.1.2 Advice on general occupational hygiene

### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions:

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

#### Packaging materials:

Store in original containers. Incompatible materials: natural rubber, PVC, methyl-methacrylate plastics, polyamides, zinc, brass, aluminium under certain conditions. Compatible materials: Stainless steel, titanium, cast bronze, cast iron, carbon steel, polypropylene, neoprene, nylon, viton, ceramic, carbon, glass.

### 7.3 Specific end uses:

#### Recommendations:

Industrial sector specific solutions: Health Care, Personal Care



# Safety Data Sheet

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Trade name: CLEANI STUMP SERVETTER Version: 1.0 / EN

Print date: 3/26/14

Specification No: 1.0

Page 9 of 20

Revision date: March/03/2014

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control parameters

#### 8.1.1 Occupational Exposure Limits

67-63-0 Isopropanol	200 ppm (8 h)	250 ppm (15 min)
	500 mg/m <sup>3</sup> (8 h)	620 mg/m <sup>3</sup> (15 min)

#### 8.1.3 Exposure limits at intended use:

No information is available for Exposure Levels (ELs). Avoid direct discharge to sewer, surface water and groundwater, not make to penetrate into the soil.

#### 8.1.4 DNEL/PEC-values

##### DNEL values:

Isopropanol: 500 mg/m<sup>3</sup> (inhalation)

#### 8.1.5 Risk management measures according to used control banding approach

Handling should be at a temperature as low as possible. Ensure proper ventilation.

## 8.2 Exposure Controls

### 8.2.1 Appropriate engineering controls:

Handle in accordance with good industrial hygiene and safety practices. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### 8.2.2 Personal protection equipment:

**8.2.2.1 Eye / Face protection:** Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU) should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

**8.2.2.2 Skin protection:** Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Hand protection:** Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

**Body protection:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

### 8.2.2.3 Respiratory protection:

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

### 8.2.2.4 Thermal hazards:

# Safety Data Sheet

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Trade name: CLEANI STUMP SERVETTER Version: 1.0 / EN Print date: 3/26/14

Specification No: 1.0

Page 10 of 20

Revision date: March/03/2014

Handling should be at a temperature as low as possible. Ensure proper ventilation.

## 8.3. Environmental exposure controls:

### **Measures related to consumer uses of the substance (as such or in mixtures):**

Avoid direct discharge to sewer, surface water and groundwater, not make to penetrate into the soil.

# Safety Data Sheet

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Trade name: CLEANI STUMP SERVETTER Version: 1.0 / EN

Print date: 3/26/14

Specification No: 1.0

Page 11 of 20

Revision date: March/03/2014

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Important health, safety and environmental information

#### 9.1.1 Appearance

**Physical state:** Liquid

**Colour:** n/a

**Odour:** Characteristic

#### 9.2.2 Safety relevant basic data

Parameter	Value	Remark
pH	7 - 9	
Melting point/range (°C)	No data	
Initial boiling point/range (°C)	~ 80 °C	
Flash point (°C)	18,5 °C (closed cup)	
Vapour pressure (hPa)	No data	
Vapour density (air=1)	No data	
Density (g/cm <sup>3</sup> )	0.84 - 0.86	
Water solubility	Soluble	
Partition coefficient n-Octanol/Water (log Po/w)	No data	
Viscosity, dynamic (mPas)	> 500 mPas	

### 9.2 Physical hazards:

**Explosives:** Not applicable

**Flammable gases:** Not applicable

**Flammable aerosols:** Not applicable

**Oxidising gases:** Not applicable

**Gases under pressure:** Not applicable

**Flammable liquids:** Flammable liquid and vapour.

**Flammable solids:** Not applicable

**Self-reactive substances and mixtures:** Not applicable

**Pyrophoric liquids Pyrophoric solids:** Not applicable

**Self-heating substances and mixtures:** Not applicable

**Substances or mixtures which, in contact with water emit flammable gases:** Not applicable

**Oxidising liquids:** Not applicable

**Oxidising solids:** Not applicable

**Organic peroxides:** Not applicable

**Metal corrosion:** Not applicable

### 9.3 Other safety information

#### Properties of explosive atmospheres (mixtures):

**Gases and vapours:** lower 2 %, upper 12 %

#### Physical-chemical properties of nanoparticles:

Not applicable

#### Limiting oxygen concentration

Not applicable

# Safety Data Sheet

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Trade name: CLEANI STUMP SERVETTER Version: 1.0 / EN

Print date: 3/26/14

Specification No: 1.0

Page 12 of 20

Revision date: March/03/2014

## **Bulk density**

0.85 g/cm<sup>3</sup>

## **Solubility in different media**

Soluble in water and alcohols

## **Stability in organic solvents and identity of relevant degradation products**

No data available

## **Evaporation rate**

No data available

## **Conductivity**

No data available

## **Surface tension**

No data available

## **Dissociation constant in water (pKa)**

No data available

## **Oxidation-reduction Potential**

No data available

## **Fat solubility (solvent – oil to be specified)**

No data available

# Safety Data Sheet

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Trade name: CLEANI STUMP SERVETTER Version: 1.0 / EN Print date: 3/26/14

Specification No: 1.0

Page 13 of 20

Revision date: March/03/2014

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids.

### 10.2 Chemical stability

Stable under normal ambient conditions.

### 10.3 Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

### 10.4 Conditions to avoid

Avoid all possible sources of ignition (spark or flame). Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Do not allow vapor to accumulate in low or confined areas.

### 10.5 Incompatible materials:

Reactive or incompatible with the following materials: oxidizing materials. peroxides. Acids. Alkalis. Ammonia.

### 10.6 Hazardous decomposition products:

No dangerous decomposition products known in the recommended storage conditions.

# Safety Data Sheet

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Trade name: CLEANI STUMP SERVETTER Version: 1.0 / EN

Print date: 3/26/14

Specification No: 1.0

Page 14 of 20

Revision date: March/03/2014

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Toxicokinetics, metabolism and distribution

Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness. May cause respiratory irritation.

### 11.2 Information on toxicological effects

#### 11.2.1 Substances

##### Acute toxicity

	Effect Dose	Species	Remark
Acute oral toxicity	LD50: 4700 - 5800 mg/kg	Rat	Isopropanol
Acute inhalation toxicity	LC50: 19000 ppm (8 hours)	Rat	Isopropanol

##### Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking. Absorption of organic solvents through the skin can cause the same effects as inhalation.

##### Serious eye damage/irritation

Irritating to eyes

##### Inhalation

In high concentrations, vapours are narcotic and may cause headache, fatigue, dizziness and nausea.

##### Respiratory or skin sensitisation

No data available

##### CMR effects (carcinogenicity, mutagenicity and Toxicity for reproduction)

**Carcinogenicity:** No component of this product present at levels greater than or equal to 0.1 % is identified as probable, possible or confirmed human carcinogen by IARC.

**in-vitro Mutagenicity:** No data available

**Genotoxicity:** No data available

**in-vivo Mutagenicity:** No data available

**Germ cell mutagenicity:** No data available

**Toxicity for reproduction:** No data available

##### Summarised evaluation of the CMR properties:

No component of this product present at levels greater than or equal to 0.1 % is identified as probable, possible or confirmed human carcinogen by IARC.

##### Specific target organ toxicity (STOT) – single exposure

Respiratory tract irritation and Narcotic effects

##### Symptoms related to the physical, chemical and toxicological characteristics:

**In case of ingestion:** Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness. May cause respiratory irritation. Gastrointestinal symptoms, including upset stomach.

**In case of skin contact:** Repeated exposure may cause skin dryness or cracking.

**In case of inhalation:** In high concentrations, vapours are narcotic and may cause headache, fatigue, dizziness and nausea.

**In case of eye contact:** Irritating to eyes.

# Safety Data Sheet

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Trade name: CLEANI STUMP SERVETTER Version: 1.0 / EN Print date: 3/26/14

Specification No: 1.0

Page 15 of 20

Revision date: March/03/2014

## 11.4 Other information

This products should never be ingested. Keep away from food and drink.

# Safety Data Sheet

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Trade name: CLEANI STUMP SERVETTER Version: 1.0 / EN

Print date: 3/26/14

Specification No: 1.0

Page 16 of 20

Revision date: March/03/2014

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

No data available

### 12.6 Other adverse effects:

No data available

### 12.7 Additional information:

No data available



# Safety Data Sheet

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Trade name: CLEANI STUMP SERVETTER Version: 1.0 / EN Print date: 3/26/14

Specification No: 1.0

Page 17 of 20

Revision date: March/03/2014

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### 13.1.1 Product / Packaging disposal:

The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

#### 13.1.2 Waste treatment options:

Must be dumped or incinerated at an approved center while complying with local regulations. Avoid disposal through the sewer and the dispersion in the environment.

#### 13.1.2 Other disposal recommendations:

Empty containers should be taken to a site approved for the treatment of waste for recycling or disposal.

### 13.2 Additional information:

Not applicable.

# Safety Data Sheet

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Trade name: CLEANI STUMP SERVETTER Version: 1.0 / EN

Print date: 3/26/14

Specification No: 1.0

Page 18 of 20

Revision date: March/03/2014

## 14. TRANSPORT INFORMATION

### 14.1 Land transport (ADR/RID/GGVSE):

**UN-No:** 3175

**Proper shipping name:** SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL)

**Transport Class(es):** 4.1 Flammable solids

**Packing group:** II

**Hazard label(s):** Flammable

### 14.2 Sea transport (IMDG-Code/GGVSee):

**UN-No:** 3175

**Proper shipping name:** SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL)

**Transport Class(es):** 4.1 Flammable solids

**Packing group:** II

**Hazard label(s):** Flammable

**EMS:** F-E, S-D

**Marine Pollutant:** No

### 14.3 Air transport (ICAO-IATA/DGR):

**UN-No:** 3175

**Proper shipping name:** SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL)

**Transport Class(es):** 4.1 Flammable solids

**Packing group:** II

**Hazard label(s):** Flammable

### 14.4 Special precautions for user:

#### 14.4 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:

This information is not available.

### 14.5 Additional information

Not available.

# Safety Data Sheet

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Trade name: CLEANI STUMP SERVETTER Version: 1.0 / EN Print date: 3/26/14

Specification No: 1.0

Page 19 of 20

Revision date: March/03/2014

## 15. REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1 EU regulations

**Authorisations and/or restrictions on use:** No

**Authorisations:** No

**Restrictions on use:** No

**Other EU regulations:** 1907/2006, 1272/2008, 453/2010

**Informations according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline):** This information is not available

#### 15.2 Chemical Safety Assessment:

Chemical safety assessment has not been carried out.

# Safety Data Sheet

According to Regulation (EC) N° 1907/2006 modified by regulation (EU) N° 453/2010

Trade name: CLEANI STUMP SERVETTER Version: 1.0 / EN

Print date: 3/26/14

Specification No: 1.0

Page 20 of 20

Revision date: March/03/2014

## 16. OTHER INFORMATION

### 16.1 Indication of changes

March/03/2014 First release

### 16.2 Abbreviations and acronyms:

### 16.3 Key literature references and sources for data

REACH registration information  
ECHA C&L Database  
Suppliers' Material Data Sheet (SDS)  
Existing Safety Data Sheet ("*SÄKERHETS DATABLAD 2009-05-20*")

### 16.4 Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP]:

Calculation method based on the classification of hazardous components.

### 16.5 Relevant R-, H- and EUH-phrases (number and full text):

H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H318	Causes serious eye damage
H319	Causes serious eye irritation
H336	Mau cause drowsiness or dizziness
F	Flammable
Xi	Irritating
R10	Flammable
R11	Highly flammable
R36	Irritating to eyes
S61	Avoid release to the environment. Refer to special instructions/safety data sheet

### 16.6 Training advice:

The Safety Data Sheet is intended to provide information for a health and safety assessment of the material during transport, storage, or applied in the workplace. Attention to users is drawn to hazards resulting from improper use of the product.

### 16.7 Further information:

This sheet contains the data concerning the product that are known at the date of release. Document produced and managed by means of computer. Valid without signature.

The logo for Fillauer, featuring the brand name in a blue, cursive script font with a registered trademark symbol (®) at the end.